

AUTO BAG R785 AUTOMATIC BAGGER



Product Description

All-Electrical Industrial Design

The Auto Bag R785 Automatic Bagger is an electrically powered and high-speed tabletop poly bagger that functions at a rate of a maximum of 40 bags per minute using an advanced control system. The machine can be operated automatically, or manually by pressing a footswitch/seal bar, and is loaded directly via infeed devices, or semi-automatically via hand. The R785 is also a reliable multi-shift packaging solution that is of extremely high quality due to its all-electric industrial design.

As the Auto Bag R785 lacks a need for compressed air, the machine can be simply installed at any point as long as there is an ordinary electrical outlet, facilitating mobility in the product environment. Moreover, this Automatic Bagger is compact (26" wide x 18" deep) and lightweight (just over 100lbs), making it even more effortless to relocate it if necessary.

Flexible Poly Bagging

Given that flexibility is one of the most important aspects in packaging products in poly bags, the Auto Bag R785 Automatic Bagger is capable of accommodating a variety of poly bags on a roll sizing up to 12" wide and 20" long. Also, product set up is made easy using the R785 when the machine comprises a convenient and easy to use touch screen interface with large job storage of a maximum of 50 jobs.

Industries Served

- Automotive
- Cosmetics
- Electronics
- Healthcare
- Logistics
- Shipping



A Range of Features to Optimize your Bagging Process

The R785 Automatic Bagger has a range of attributes that are only exclusive to its own to optimize any bagging process. The seal flattener feature is one example in which poly bags are automatically stretched by fingers before sealing. This way, potential wrinkles in the seals can be eliminated and bag support can be emphasized more, resulting in the easy handling of bulkier products. The angle of the load shelf in this feature can also be customized to one's requirements, securing the most optimal set up for heavy products.

Automatically Print and Apply Labels Directly on your Poly Bag

The R785 Automatic Bagger is the first-ever all-electronic poly bagger that provides an option for a unified label printer applicator that prints and applies labels on poly bags. Given that this labelling solution allows for the direct printing and placing of a scannable barcode label on the bag, this is especially advantageous for applications such as poly mailers that require a changeable shipping label or data with every bag. In fact, the R785 the most ideal changeover for customers who are manually packaging and applying labels by hand, and is also exceptionally effective for short batch runs. Any printer ribbon is also not necessary due to the combination of the label printer applications with direct thermal labels/transfer.

Engineered with Uptime and Safety in Mind

With safety being the number 1 priority in all work environment, the R785 Automatic Bagger with a CE compliant design is guaranteed to satisfy all safety requirements for packaging machinery. This machine aims to be hazard and risk-free by applying safety precautions such as:

- Eliminating any potential injuries by closing the seal bar on the machine without force
- A large number of off-the-shelf components in order to offset labour costs and maximize uptime
- Perfectly secured with as few screws as possible for easy removal and accessibility of the internal components in the machine



Versatile Design for a Range of Industries

The Auto Bag R785 Automatic Bagger has a versatile design and therefore is suitable and can adapt well in various poly bagging application such as aerospace, automotive, food, injection moulding, kitting, mail order fulfilment, pharmaceutical, and many more.

Extendable Warranty

A 5-year extension of the usual 1-year warranty will also be provided when exclusively using Auto Bag pre-opened bags on a roll.

Operating Benefits

- Operate with a footswitch, by hand, or in auto cycle mode
- Adjustable height articulating load shelf to support the bag during packaging (13" max bag length)
- Seal flattener fingers minimize wrinkles in the seal area by stretching the bag prior to sealing
- Print and apply a label directly on the next bag being fed out (optional)
- Compact design takes up minimal footprint in the packaging area
- 7" colour touchscreen with user-friendly interface and clear prompts

Maintenance Benefits

- Off the shelf modular components for easy replacement
- Remote networking capability for improved troubleshooting
- Self-diagnostics ensure quick problem solving
- Quick service access to all electrical components
- Comprehensive 5-year warranty (optional)

Set Up Benefits

- Utilizes Auto Bag pre-opened bags-on-a-roll for quick bag size changes and easy set-up
- PLC with job storage, batch counters, packaging statistics, and login-in levels
- Interface to infeed devices for a fully automatic packaging system
- Ceramic heating element for fast start-up



Safety Benefits

- Zero force seal bar closing virtually eliminates the chance of injury
- Low power consumption design (500 Watts)
- CE compliant design for improved safety and troubleshooting

Options

- Air Expeller—A plate with a foam pad. This device presses against the bag prior to sealing, removing excess air. This option is ideal when there is no vent hole in the bag.
- Label Printer Applicator—An integrated industrial label printer applicator. With this option you can automatically print and then apply a label onto the next bag to be fed out.
- 305 dpi Printhead Upgrade (requires integrated label printer applicator)—perfect when high resolution printing is required
- 220V Wiring—For facilities that require 220V electrical instead of 120V.

Product Specifications

Technical Specifications	
Speed	Up to 40 bags/min
Bag Width	2" - 12"
Bag Length	3" - 20"
Bag Thickness	1 mil - 4mil
Seal Width	1/8"
Electrical Requirement	120V, 5A, 50/60Hz
Dimensions (W x D x H)	26" x 18" x 24"
Weight	105 lbs
Warranty	1 year, extendable to 5 years when exclusively using Auto Bag brand bags on a roll



Product Dimensions



Related Products



Auto Bag Magnum
Horizontal Automatic Bagger



Auto Bag R1075
Automatic Bagger



Auto Bag 575B
Automatic Bagger



Auto Bag R3200
Automatic Bagger



STREAM PEAK INTERNATIONAL PTE LTD
Tel: +65 6610 7921 | Fax: +65 6862 2520
Email: enquiry@streampeak.com.sg

Valuing Relationships, Protecting Goods
Address: 26 Tuas South Street 3, S(638026)
Website: www.streampeak.com.sg